


# Valve plug connector, series CON-VP

## R422003279

General series information  
AVENTICS Series CON-RD Round plug  
connectors with cable

- The AVENTICS Series CON-RD-with cable offers cables with round plug connectors for various types like M8x1, M12x1 or 7/8-16UNC and different cable length, optimized for our focused valves with M8x1 or M12x1 connection and electronic systems like AES and G3.



### Technical data

Industry	Industrial
Type	Round plug connectors
Cable	with cable
Operational voltage	48 V AC/DC
Operating voltage AC max.	48 V DC
Operating voltage DC, max.	48 V AC
Electrical connection 1, type	Socket
Electrical connection 1, thread size	Industrial plug connector
Electrical connection 1, number of poles	2-pin
Cable exit 1	straight
Cable exit angle	180°
Electrical connection 2, type	open cable ends
Electrical connection 2, number of poles	2-pin
Number of wires	2
Shielding	unshielded
Cable length	5 m
Protection class	IP40
Min. ambient temperature	-15 °C
Max. ambient temperature	80 °C



Wire cross-section	0.25 mm <sup>2</sup>
Cable-Ø	1.5 mm
Delivery unit	1 piece
Weight	0.042 kg

### Material

Material cable sheath	Polyvinyl chloride
Part No.	R422003279

### Dimensions

Fig. 1



### Dimensions

Fig. 2

