AVENTICS Series NL2 Air Preparation Units

The AVENTICS Series NL maintenance units are suitable for all areas: as individual components or as assembled maintenance units, for centralized or decentralized compressed air preparation, in compact or powerful versions, for use in high or low temperatures. This line offers a complete, customizable compressed air preparation technology. It includes an option to combine every component in the Series to achieve the desired function, making it possible to adjust the components precisely to the application requirements.



Technical data Industry Parts Port Type Type Version Mounting orientation Min. working pressure Max. working pressure Min. ambient temperature Max. ambient temperature Max. ambient temperature

Nominal flow Qn Nominal flow Qn 1 to 2 Nominal flow Qn 1 to 3 Nominal flow Qn 1 to 4 Nominal flow Qn 1 to 5 Nominal flow Qn 1 to 6 Weight Industrial Distributor G 1/4 Distributor Can be assembled into blocks Distributor 4x Any 0 bar 16 bar -10 °C 60 °C Compressed air Neutral gases 2500 l/min 2500 l/min 2000 l/min 900 l/min 2000 l/min 900 l/min 0.33 kg



0821300907

Housing material	Die cast zinc
Material front plate	Acrylonitrile butadiene styrene
	0821300907


Technical information

The pressure dew point must be at least 15 °C less than ambient and medium temperature and may not exceed 3 °C.

Nominal flow Qn with secondary pressure p2 = 6 bar at $\Delta p = 1$ bar

A change in the flow direction (from air supply on the left to air supply on the right) occurs by rotating installation by 180° about the vertical axis. Please see the operating instructions for further details.

Dimensions



A1 = input A2 = output A3 = output A4 = output A5 = output A6 = output

Part No.	A1	A2	A3	A4	A5	A6	В	B1	С
0821300907	G 1/4	48	1.5	26					
0821300909	G 3/8	G 3/8	G 1/4	G 1/4	G 1/4	G 1/4	48	1.5	26
Part No.	D		Н			К	М	0	R
0821300907	26	52	36	4.4	47	43.5	3	38	5.4
0821300909	26	52	36	4.4	47	43.5	3	38	5.4
Part No.			T2	Т3	T4	U			
0821300907	10	8	8	8	7	27.5	12.3]	

Dimensions in mm





2024-04-23

Distributor, Series NL2-DIS 0821300907

Part No.	S	Т	T2	T3	T4	U	V
0821300909	10	8	7.5	8	7	27.5	12.3

