AVENTICS Series NL2 Air Preparation Units

The AVENTICS Series NL maintenance units are suitable for all areas: as individual components or as assembled maintenance units, for centralized or decentralized compressed air preparation, in compact or powerful versions, for use in high or low temperatures. This line offers a complete, customizable compressed air preparation technology. It includes an option to combine every component in the Series to achieve the desired function, making it possible to adjust the components precisely to the application requirements.





Technical data

Industry Industrial
Parts Distributor
Port G 3/8
Type Distributor

Type Can be assembled into blocks

Version Distributor 4x

Mounting orientation

Min. working pressure

Max. working pressure

Min. ambient temperature

Max. ambient temperature

60 °C

Medium Compressed air

Neutral gases

Nominal flow Qn

Nominal flow Qn 1 to 2

Nominal flow Qn 1 to 3

Nominal flow Qn 1 to 4

Nominal flow Qn 1 to 4

Nominal flow Qn 1 to 5

Nominal flow Qn 1 to 6

Weight

2500 I/min

2000 I/min

900 I/min

900 I/min

0.33 kg



0821300909

Housing material Material front plate Die cast zinc Acrylonitrile butadiene styrene 0821300909


Technical information

The pressure dew point must be at least 15 °C less than ambient and medium temperature and may not exceed 3 °C.

Nominal flow Qn with secondary pressure p2 = 6 bar at Δp = 1 bar

A change in the flow direction (from air supply on the left to air supply on the right) occurs by rotating installation by 180° about the vertical axis. Please see the operating instructions for further details.

Dimensions



A1 = input A2 = output A3 = output A4 = output A5 = output A6 = output

Dimensions in mm

Part No.	A1	A2	A3	A4	A5	A6	В	B1	С
0821300907	G 1/4	48	1.5	26					
0821300909	G 3/8	G 3/8	G 1/4	G 1/4	G 1/4	G 1/4	48	1.5	26

Part No.	D		Н			К	М	0	R
0821300907	26	52	36	4.4	47	43.5	3	38	5.4
0821300909	26	52	36	4.4	47	43.5	3	38	5.4

Part No.	S	Т	T2	Т3	T4	U	V
0821300907	10	8	8	8	7	27.5	12.3

Distributor, Series NL2-DIS 0821300909

2024-04-23

Part No.	S	Т	T2	T3	T4	U	V
0821300909	10	8	7.5	8	7	27.5	12.3