AVENTICS Series NL4 Air Preparation Units

The AVENTICS Series NL maintenance units are suitable for all areas: as individual components or as assembled maintenance units, for centralized or decentralized compressed air preparation, in compact or powerful versions, for use in high or low temperatures. This line offers a complete, customizable compressed air preparation technology. It includes an option to combine every component in the Series to achieve the desired function, making it possible to adjust the components precisely to the application requirements.



Technical data Industry Parts Port Type Type Version Mounting orientation Min. working pressure Max. working pressure Min. ambient temperature Max. ambient temperature Max. ambient temperature Max. ambient temperature Max. ambient temperature Medium

Nominal flow Qn 1 to 2 Nominal flow Qn 1 to 3 Nominal flow Qn 1 to 4 Nominal flow Qn 1 to 5 Nominal flow Qn 1 to 6 Weight Industrial Distributor G 3/4 Distributor Can be assembled into blocks Distributor 4x Any 0 bar 16 bar -10 °C 60 °C Compressed air Neutral gases 11000 l/min 11000 l/min 8750 l/min 1340 l/min 8750 l/min 1340 l/min 0.682 kg



0821300919

Housing material	Die cast zinc
Material front plate	Acrylonitrile butadiene styrene
	0821300919


Technical information

The pressure dew point must be at least 15 °C less than ambient and medium temperature and may not exceed 3 °C.

A change in the flow direction (from air supply on the left to air supply on the right) occurs by rotating installation by 180° about the vertical axis. Please see the operating instructions for further details.

Nominal flow Qn with secondary pressure p2 = 6 bar at $\Delta p = 1$ bar

Dimensions



A1 = input A2 = output A3 = output A4 = output A5 = output A6 = output

Part No.	A1	A2	A3	A4	A5	A6	В	B1	С
0821300917	G 1/2	G 1/2	G 1/2	G 1/4	G 1/2	G 1/4	69.6	1.8	33.5
0821300919	G 3/4	G 3/4	G 1/2	G 1/4	G 1/2	G 1/4	69.6	1.8	33.5
Part No.	D		Н			К	М	0	
0821300917	33.5	67	54	5.5	69	54.5	3	50	20
0821300919	33.5	67	54	5.5	69	54.5	3	50	20
Part No.	R			T2	Т3	T4	U		
0821300917	6.4	10	13	13	7.5	9	33	18	

Dimensions in mm



Distributor, Series NL4-DIS 0821300919

Part No.	R	S	Т	T2	Т3	T4	U	V
0821300919	6.4	10	13	13	7.5	9	33	18