QR1-S-RSI standard series

R432000144

General series information **AVENTICS Series QR1 Fittings**

■ AVENTICS Series QR1 push-in connectors with easy, secure mounting are available in many versions: for tubing diameters from 3 to 16 mm, as well as in plastic, metal, and stainless steel variants. QR1 Series offers a cylindric thread that allows repeated connection and release without problems (Quick Release) and captive Oring guarantees an optimal sealing. Our QR program offers the right solution for every application and industry.



Technical data

Industry Industrial

Fitting type Bulkhead connector Compressed air connection type Internal thread

QR1-S-RSI

1/8 NPT Port G

Compressed air connection type 2 push-in fitting

Port D Ø1/4

Type -0.95 bar Working pressure min. Working pressure max 10 bar 0°C Min. ambient temperature 60 °C Max. ambient temperature

10 piece Delivery unit Weight 0.027 kg

Material

Surface nickel-plated

Housing material **Brass**

Surface housing nickel-plated



Seal material Acrylonitrile butadiene rubber

Material tooth lock washer Stainless Steel
Material release ring Polyoxymethylene

Material release ring holder Die cast zinc

Brass

Surface release ring holder nickel-plated

Material thread Brass


Surface thread nickel-plated Part No. R432000144

Technical information

The series QR1 (plastic) and QR2 (metal) can not be combined

These pneumatic components with NPT or inch thread dimensions are only available from our US sales organization.

Dimensions in inches



Dimensions in inches

Part No.	Port D	Port G	М	А	В	С	Е	F	SW
R432000144	Ø1/4	1/8 NPT	9/16 UNF	1.08	0.36	0.67	0.25	0.35	11/16
R432000143	Ø1/4	1/4 NPT	9/16 UNF	1.26	0.47	0.67	0.25	0.53	11/16
R432000147	Ø5/16	1/4 NPT	5/8 UNF	1.41	0.47	0.73	0.33	0.55	3/4
R432000145	Ø 3/8	1/4 NPT	7/8 UNF	1.4	0.47	0.83	0.23	0.55	1
R432000149	Ø5/16	3/8 NPT	5/8 UNF	1.45	0.51	0.73	0.33	0.59	3/4
R432000146	Ø 3/8	3/8 NPT	7/8 UNF	1.44	0.51	0.83	0.23	0.59	1
R432000142	Ø1/2	3/8 NPT	7/8 UNF	1.52	0.51	0.89	0.34	0.59	1

Part No.	ØР
R432000144	0.47
R432000143	0.47



Part No.	ØΡ
R432000147	0.55
R432000145	0.67
R432000149	0.55
R432000146	0.67
R432000142	0.8

