





**FIBERS** 

## LL3-TX0410 | Fiber-optic cables

**FIBERS** 

### Ordering information

	Туре	Part no.
Illustration may differ	LL3-TX0410	1072949
Illustration may differ	LL3-TX0410	1072949

Other models and accessories -> www.sick.com/Fiber-optic\_cables

### Detailed technical data

#### Features

i catules	
Device type	Fiber-optic cables
Functional principle	Through-beam system
Fiber-optic head design	Threaded sleeve
Application	Standard
Compatible fiber-optic amplifiers	WLL80, WLL180, GLL170(T)
Sensing range max.	Depending on the fiber optic amplifier used
Optical fiber head	
Angle of dispersion	10.29°
Integrated lens	Yes
Compatibility tip adapters	No
Optical fiber	
Optical fiber cable can be shortened	✓
Adapter end sleeves required	No
Included with delivery	Mounting, 4 x M12 hexagon nut, FC fiber cutter (5304141)

#### Mechanics

Optical fiber head	
Light emission	Axial
Thread diameter (housing)	M12
Optical fiber	
Fiber length	10,000 mm
Dynamic flexibility (robotics)	No
Outside diameter, optical fiber cable connection	2.2 mm
Fiber arrangement	Singlefiber
Core structure	Singlefiber
Weight	64 g

#### Classifications

ECLASS 5.0	27270905
ECLASS 5.1.4	27270905
ECLASS 6.0	27270905
ECLASS 6.2	27270905
ECLASS 7.0	27270905
ECLASS 8.0	27270905

## LL3-TX0410 | Fiber-optic cables


FIBERS

ECLASS 8.1	27270905
ECLASS 9.0	27270905
ECLASS 10.0	27270905
ECLASS 11.0	27270905
ECLASS 12.0	27270905
ETIM 5.0	EC002651
ETIM 6.0	EC002651
ETIM 7.0	EC002651
ETIM 8.0	EC002651
UNSPSC 16.0901	39121528
Sensing ranges with GLL170	
Operating mode 250 µs	5,800 mm
Sensing ranges with GLL170T	

6 6	
Operating mode 50 µs	17,600 mm
Operating mode 250 µs	20,000 mm

Dimensional drawing (Dimensions in mm (inch))

LL3-TX02-10



# SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

# WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

