

# MZ2Q-C

Cylinder sensors with two individually adjustable switching points for grippers







### Technical data overview

Output function	NO			
IO-Link	- / ✔ (depending on type)			
Teach-in	Yes			
Special features	Special hysteresis Software V303 Housing black Special software setting Hysteresis adjustable (depending on type)			
Cylinder types with adapter	SMC rail ECDQ2 SMC rail CDQ2			
Housing length	19.5 mm			

## **Product description**

On pneumatic cylinders, grippers, or carriages, the MZ2Q-C cylinder sensors from SICK are able to detect two end positions or intermediate positions with just one sensor. This is achieved by using two individually adjustable switching points in one sensor housing. This is much easier, quicker, and more cost-effective than conventional solutions, since only one slot is used. As a result, mounting and cabling overheads are halved and applications can be solved efficiently.

## At a glance

- Can be used in all standard cylinders, linear slides, and grippers using the C-slot and with the help of adapters in round rod, tie-rod, and profile cylinders
- · Drop-in mounting from above simplifies handling and assembly
- · Easy adjustment of two switching points via teach-in pushbutton
- · LEDs for indicating the two switching points
- Detection range up to 50 mm stroke

#### Your benefits

- One sensor, two switching points: Reduces commissioning time and costs
- Maximum flexibility thanks to a detection zone up to 50 mm
- · Suitable for precise pneumatic applications due to intuitive and precise definition of two switching points
- Quick and easy installation and sensor replacement thanks to drop-in sensor mounting
- · Flexible sensor settings, monitoring, advanced diagnostics and visualization through IO-Link (depending on type)

## Fields of application

- · End position detection in pneumatic miniature cylinders
- Position detection (open/close) in pneumatic grippers

# Ordering information

Other models and accessories → www.sick.com/MZ2Q-C

• Preferred manufacturer slot: SMC, Bimba, Schunk

Output function: NOElectrical wiring: DC 4-wire

Connection type	Switching output	Smart Sensor	Communica- tion interface	Туре	Part no.
Cable with M8 male 2 x PNP connector, 4-pin, 0.3 m	2 x PNP	-	-	MZ2Q-CSSPSKP0	1042238
			MZ2Q-CSSPSKP0S10	1061383	
Cable with connec-		-	-	MZ2Q-CSSPSKQ0	1042240
tor M12, 4-pin, with knurled nuts, 0.3 m		Enhanced Sensing, efficient communication	IO-Link	MZ2Q-CSLPSKQ0	1043696
Cable with connector M8, 4-pin, with knurled nuts, 0.3 m	2 x PNP		IO-Link	MZ2Q-CSLPSKR0	1146367
Cable with connector M8, 4-pin, with knurled nuts, 0.5 m	2 x NPN	-	-	MZ2Q-CSSNSKR0S21	1096578
	2 x PNP	-	-	MZ2Q-CSSPSKR0	1042239
				MZ2Q-CSSPSKR0S01	1044557
				MZ2Q-CSSPSKR0S20	1095814
				MZ2Q-CSSPSKR0S22	1118101
				MZ2Q-CSSPSKR0S25	1147171
Cable, 4-wire, 2 m	2 x PNP	-	-	MZ2Q-CSSPSKU0	1042237
Cable, 4-wire, 3 m	Cable, 4-wire, 3 m 2 x NPN	-	-	MZ2Q-CSSNSKUA	1046234
	2 x PNP	-	-	MZ2Q-CSSPSKUAS05	1051588

• Preferred manufacturer slot: Festo

Switching output: 2 x PNPOutput function: NO

• Electrical wiring: DC 4-wire

Connection type	Smart Sensor	Communication interface	Туре	Part no.
Cable with M8 male connector, 4-pin, 0.3 m	-	-	MZ2Q-CFSPSKP0	1042242
			MZ2Q-CFSPSKP0S04	1051025
Cable with connector M12, 4- pin, with knurled nuts, 0.3 m	-	-	MZ2Q-CFSPSKQ0	1042244
	Enhanced Sensing, ef-	IO-Link	MZ2Q-CFLPSKQ0	1043697
Cable with connector M8, 4- pin, with knurled nut, 0.3 m	ficient communication	IO-Link	MZ2Q-CFLPSKR0	1146368
Cable with connector M8, 4- pin, with knurled nuts, 0.5 m	-	-	MZ2Q-CFSPSKR0	1042243
Cable, 4-wire, 2 m	-	-	MZ2Q-CFSPSKU0	1042241
	Enhanced Sensing, efficient communication	IO-Link	MZ2Q-CFLPSKU0	1115196

# SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

# **WORLDWIDE PRESENCE:**

Contacts and other locations -www.sick.com

