



## RFU62x

UHF transponder identification using an RFID read/write device for medium sensing ranges

**SICK**  
Sensor Intelligence.



## Technical data overview

<b>Product category</b>	RFID read/write device with integrated antenna
<b>Frequency band</b>	UHF (860 MHz ... 960 MHz)
<b>Version</b>	Mid Range
<b>Read range</b>	≤ 2 m
<b>Serial</b>	✓, RS-232, RS-422
<b>CAN</b>	✓
<b>PROFIBUS DP</b>	✓, optional over external fieldbus module
<b>USB</b>	✓
<b>PROFINET</b>	✓, optional over external fieldbus module / ✓ (depending on type)
<b>CANopen</b>	✓
<b>EtherCAT</b>	✓, optional over external fieldbus module
<b>Ethernet</b>	✓, TCP/IP, OPC UA / ✓, TCP/IP, PoE, OPC UA (depending on type)
<b>EtherNet/IP™</b>	✓
<b>Weight</b>	780 g

## Product description

The RFU62x is a UHF RFID read/write device suitable for read ranges of up to 1 m. The transponder communication is compliant with standard ISO/IEC18000-6C (EPC Class 1 Gen 2). The device can be configured to operate from the SOPAS user interface or by sending ASCII commands directly. Its well-defined, restricted read/write range is particularly well-suited for automated identification over small object distances, e.g., in conveyor technology.

## At a glance

- Antenna and data processing integrated in the sensor
- Read range up to 2 m
- Linkage option to superior control systems or directly to the cloud
- Excellent antenna characteristics
- Configuration via SOPAS ET or integrated web server
- Can be used with SICK AppSpace
- Rugged design in accordance with IP67

## Your benefits

- Very high process stability as the optimally-aligned antenna characteristics prevent no-reads
- Easy configuration through SOPAS ET or the integrated web server saves time and costs for commissioning
- Maximum flexibility when programming individual software solutions with SICK AppSpace
- The rugged design enables reliable operation - even in tough industrial environments
- Very little programming work needed in the control due to intelligent process logics in the device

## Fields of application

- Workpiece identification on assembly lines
- Charging identification on mobile platforms
- Identification of production material in machines
- Container identification in conveyor systems
- Material procurement in E-Kanban

## Ordering information

Other models and accessories → [www.sick.com/RFU62x](http://www.sick.com/RFU62x)

- **Frequency band:** UHF (860 MHz ... 960 MHz)
- **Read range:** ≤ 2 m (Depending on transponder used and ambient conditions.)

Radio approval	Enclosure rating	Type	Part no.
Australia	IP67	RFU620-10102	1101700
Brazilian	IP67	RFU620-10104	1069677
		RFU620-10504	1070407
China, Thailand	IP67	RFU620-10105	1068728
		RFU620-10505	1077860
European Union, South Africa, Serbia	IP65	RFU620-10400	1062600
	IP67	RFU620-10100	1062599
		RFU620-10500	1062601
India	IP67	RFU620-10103	1091355
		RFU620-10503	1069453
Japan	IP67	RFU620-10107	1068727
		RFU620-10507	1083976
Korea	IP67	RFU620-10510	1083557
Malaysia	IP67	RFU620-10114	1096414
		RFU620-10514	1077863
New Zealand	IP67	RFU620-10111	1084997
Taiwan	IP67	RFU620-10113	1139061
USA, Canada, México	IP65	RFU620-10401	1062603
	IP67	RFU620-10501	1062604
USA, Canada, México, Ecuador, Costa Rica	IP67	RFU620-10101	1062602
Vietnam	IP67	RFU620-10118	1101686

## SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

## WORLDWIDE PRESENCE:

Contacts and other locations –[www.sick.com](http://www.sick.com)