




# UHF Transponder, rectangular, high-temp, global

RFID transponder

RFID

**SICK**  
Sensor Intelligence.



### Ordering information

Type	Part no.
UHF Transponder, rectangular, high-temp, global	6052355

Other models and accessories → [www.sick.com/RFID\\_transponder](http://www.sick.com/RFID_transponder)

### Detailed technical data

#### Features

<b>Type</b>	Label						
<b>Frequency band</b>	UHF (860 MHz ... 960 MHz)						
<b>Carrier frequency</b>	865 MHz ... 928 MHz						
<b>RFID standard</b>	EPCglobal UHF Class 1 Generation 2, ISO/IEC 18000-6 C						
<b>Read range</b>	<table border="0"> <tr> <td>RFU61x</td> <td>70 cm <sup>1)</sup></td> </tr> <tr> <td>RFU62x</td> <td>100 cm <sup>1)</sup></td> </tr> <tr> <td>RFU63x/RFU65x</td> <td>500 cm <sup>1)</sup></td> </tr> </table>	RFU61x	70 cm <sup>1)</sup>	RFU62x	100 cm <sup>1)</sup>	RFU63x/RFU65x	500 cm <sup>1)</sup>
RFU61x	70 cm <sup>1)</sup>						
RFU62x	100 cm <sup>1)</sup>						
RFU63x/RFU65x	500 cm <sup>1)</sup>						
<b>Special features</b>	High Temperature						
<b>IC type</b>	NXP UCODE G2iM						
<b>Memory capacity (UII / user memory)</b>	256/512 Bit						
<b>IC write cycle</b>	≤ 1,000						
<b>IC data retention time</b>	< 20 years						

<sup>1)</sup> Typical value; actual value depends on environmental conditions.

#### Mechanics/electronics

<b>Housing material</b>	Textile
<b>Housing color</b>	Beige
<b>Weight</b>	+ 2.5 g
<b>Dimensions (L x W x H)</b>	70 mm x 110 mm x 0.42 mm
<b>Design</b>	Rectangular
<b>Mounting method</b>	Plastic clip

#### Ambient data

<b>Ambient operating temperature</b>	-40 °C ... +85 °C <sup>1)</sup>
<b>Application temperature</b>	+ 230 °C, 60 min, 4 <sup>2)</sup>
<b>Storage temperature</b>	-40 °C ... +85 °C

<sup>1)</sup> Max. temperature at which the RFID transponder can interact with the RFID read/write device.

<sup>2)</sup> Max. temperature the RFID transponder can withstand [maximum temperature; duration; cycles]. For optimal performance, the transponders should completely cool off before a new temperature cycle is started.

## General notes

<b>Items supplied</b>	Batch size: 250 pieces
-----------------------	------------------------

## Classifications

<b>ECLASS 5.0</b>	27280402
<b>ECLASS 5.1.4</b>	27280402
<b>ECLASS 6.0</b>	27280402
<b>ECLASS 6.2</b>	27280402
<b>ECLASS 7.0</b>	27280402
<b>ECLASS 8.0</b>	27280402
<b>ECLASS 8.1</b>	27280402
<b>ECLASS 9.0</b>	27280402
<b>ECLASS 10.0</b>	27280402
<b>ECLASS 11.0</b>	27280402
<b>ECLASS 12.0</b>	27280402
<b>ETIM 6.0</b>	EC002998
<b>ETIM 7.0</b>	EC002998
<b>ETIM 8.0</b>	EC002998
<b>UNSPSC 16.0901</b>	52161523

## Recommended services

Additional services → [www.sick.com/RFID\\_transponder](http://www.sick.com/RFID_transponder)

	Type	Part no.
<b>Commissioning</b>		
<ul style="list-style-type: none"> <li><b>Product area:</b> RFID</li> <li><b>Range of services:</b> Inspection of connection, alignment, optimization of parameters of the RFU/RFH as well as tests, Setup of previously defined functions of reading configuration, data processing and network, interfaces and inputs and outputs</li> <li><b>Duration:</b> Additional work will be invoiced separately</li> </ul>	Commissioning RFU/RFH	1610018
<b>Maintenance</b>		
<ul style="list-style-type: none"> <li><b>Product area:</b> RFID</li> <li><b>Range of services:</b> Inspection, analysis and restoring of defined functions, Checking and adjustment of reading configuration, data processing, network, interfaces and inputs and outputs as well as operating data</li> <li><b>Duration:</b> Additional work will be invoiced separately</li> </ul>	Maintenance RFU/RFH	1611424

## SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

## WORLDWIDE PRESENCE:

Contacts and other locations –[www.sick.com](http://www.sick.com)